

# TEMPTECH

## Wine Cabinets





## CONTENTS

**Design:** Temptech AS  
**Words:** Færd, Temptech  
**Photo:** Istockphoto,  
Unsplash, Epoq, Norema,  
Marius Rua  
**Printing:** BK Grafisk AS  
**Version:** 1/2021

Subject to errors, price  
and product changes.

**Temptech AS**  
Borgeskogen 26  
3160 Stokke  
Norway  
Tlf. +47 333 67 000

post@temptech.no  
www.temptech.no/en

TEMPTTECH

# Largest supplier of wine cabinets in the Nordics

Here at Temptech, we are proud to be the largest supplier of wine cabinets in the Nordic region. Since our launch in 2004, we have led the market and been a driving force for innovative product development. We are constantly expanding our range of wine cabinets and can now offer more than 75 different wine cabinet models. In line with new EU requirements for electronic products, this year we have upgraded all our wine cabinets to make them among the most energy efficient on the market.

I hope you enjoy the catalogue. Please get in touch if you would like more information about our products.

**Christoffer Hamer (CEO)**  
**Temptech AS**

## Tips and advice page 5

Top tips and advice on buying a wine cabinet, temperature and settings.

## Inspiration page 12

Be inspired! See what our customers say about our wine cabinets.

## Wine cabinets page 16

Explore our wide range of wine cabinets.

## Humidor page 35

Cigars need to be stored properly too.

## Specifications page 36

Here you will find all the specifications for our wine cabinets.

## Installation page 46

Installation drawings for our wine cabinets.



# About Temptech

*Here at Temptech, we are experts in wine cabinets and the proper storage of wine. With more than 15 years of experience and over 75 different wine cabinet models, we can safely call ourselves the Nordic wine cabinet expert!*

## Norwegian manufacturer

Temptech is a Norwegian manufacturer of appliances, with a focus on wine cabinets. Our head office and warehouse are located at Borgeskogen in Stokke. Our products are designed and developed in Norway and manufactured in China using carefully selected components.

## 15 years of experience

In 2019, Temptech turned 15. Over the years, we have evolved to become an expert on wine cabinets. All along the way we have led the market and been a driving force for innovative product development, devoting our time to what we like the most: wine and wine storage.

## Wide range

No other supplier can offer as many different wine cabinet models as we can. With over 75 different wine cabinets in various price ranges, colours, sizes and capacities, you will easily find a wine cabinet to suit your needs.

## TEMPTECH FACTS

- Head office in Norway
- Established in 2004
- Sales teams throughout the Nordics
- 2,000 distributors in 20 countries
- 25 employees
- Sales of EUR 10 million in 2020



## TIPS AND ADVICE



# Why buy a wine cabinet?

*Wine is a living product that develops over time. This makes storing wine correctly very important, whether you are keeping it for a long period or intend to drink it soon. A wine cabinet provides the perfect storage conditions for your wine, whether it is white, red or sparkling.*

Here at Temptech, we know what makes a good wine cabinet. Nothing is left to chance and every detail is important, from the design to the technical specifications. Our wine cabinets meet all design and technology requirements. No wonder then that many famous restaurants, wine bars, wine importers and wine connoisseurs choose our wine cabinets.

### 4 reasons to buy a wine cabinet

1. Makes it easy to store wine correctly
2. Proper storage gives the wine better durability
3. Ready-to-serve wine at the right serving temperature
4. Better aroma and taste and enhances the wine experience

### 5 reasons to choose Temptech wine cabinets

1. The Nordic wine cabinet expert with 15 years of experience
2. Wide range of more than 75 different wine cabinet models
3. Among the most energy efficient on the market
4. Low on noise and vibration
5. Stylish Scandinavian design

# Temperature zones and settings

*A wine cabinet allows you to set the precise temperature you want for your wine. Our wine cabinets come with either one or two temperature zones and each temperature zone can be regulated separately. This ensures that your sparkling, white or red wine is always ready to serve and at the right serving temperature. Wine served at the right temperature provides a better taste, aroma and wine experience!*

## One temperature zone

If your wine cabinet has one temperature zone, you can set the temperature between 5 and 20°C. If you are storing both red and white (and sparkling) wine in your wine cabinet, we recommend setting the temperature to 12°C.

## Two temperature zones

In a wine cabinet with two temperature zones, the different zones are physically separated by a horizontal barrier in the wine cabinet. This allows you to have two different temperatures and to store white wine and red wine, for example, in separate zones. There must be a minimum difference of 1°C between the two temperature zones, so you cannot set both zones to 12°C at the same time.



## The right wine storage temperature in the wine cabinet

*Here are our tips on the temperature you should set in your wine cabinet. Remember that wine quickly rises in temperature once you have taken the bottle out of the wine cabinet.*

### White wine and sparkling wines

Set the temperature in the wine cabinet to 6°C

### Red wine and fortified wines

Set the temperature zone to 14°C

### All types of wines and long-term storage

If you have both white wine and red wine in the same temperature zone, or you want to store your wine for a long time, we recommend setting the temperature to 12°C

## TIPS AND ADVICE

# What you need to know when choosing a wine cabinet



Storing wine correctly should be easy.

Still, there are a few things to consider when choosing a wine cabinet. Check out our rundown of key wine cabinet need-to-knows!

### How many bottles can it fit?

The bottle capacity indicated for wine cabinets is when completely full and is measured using standard 75 cl Bordeaux bottles. As bottles come in all shapes and sizes, the actual capacity will often be slightly lower than stated.

### How big a wine cabinet do I need?

Remember that wine collections grow quickly, as will your desire to collect wine once you have a wine cabinet! So if you have the space and the budget, you may want to choose a wine cabinet that has 25 to 50 per cent more capacity than your current wine collection.

### Positioning of the wine cabinet

The vast majority of our wine cabinet models can be used as freestanding units. Some can be fitted into a recess under the kitchen counter, while other models can be integrated in tall cabinets or under a counter with the base at the front.

### You can store more than just wine bottles...

A wine cabinet is also the perfect place to store your bag-in-box wine! Take the bag out of the carton and place it in the wine cabinet. A wine cabinet is also ideal for storing cigars, chocolate and gin and other spirits.



**GET A BETTER WINE EXPERIENCE**

Storing your wine properly and serving it at the right temperature will give you a better wine experience!



# 5 golden rules for storing wine

*Wine is a living product that develops over time. These five rules are the key to perfect wine storage. The result is better durability, improved taste and an even better wine experience.*

## 1 **Correct and stable temperature**

Wine must not be stored too hot or too cold. The ideal storage temperature in the wine cabinet is between 6 and 10°C for white wine and between 14 and 18°C for red wine. Storing at these temperatures will also ensure that the wine is at the correct serving temperature.

## 2 **Optimal humidity**

The correct humidity level for wine storage is between 50 and 70 per cent. Lower humidity can cause the cork to dry out and draw in air, which can reduce the quality of the wine. Temptech's HumidFlow technology ensures that all our wine cabinets have a humidity level of between 50 and 70 per cent.

## 3 **Protection against heat and sunlight**


Too much light can speed up the wine's ageing process. Sunlight also contains UV rays that can damage the wine. Most of our wine cabinets have glass doors containing protective UV filters. The internal LED lighting in the cabinets also does not give off any heat.

## 4 **Protection against unpleasant odours**

Odours from wooden shelves, for example, can penetrate through the cork and reduce the quality of the wine. Our wine cabinets have untreated wooden shelves that do not emit odours. The wine cabinets are also equipped with an active carbon filter that cleans the air in the cabinet.

## 5 **Low vibration**

Vibrations can come from the compressor, for example, and can spread out into the wine cabinet via the shelf system, resulting in a detrimental effect on the wine's development. Our specially developed AntiVibe vibration dampers are positioned under the compressor and significantly reduce vibration. Most of our wine cabinet models also have AntiVibe on their shelves.



### **LUXURIOUS SURROUNDINGS**

The four Copenhagen wine cabinets from Temptech enjoy luxurious surroundings in Speilsalen. The wine cabinets function as serving cabinets in the restaurant.

With four wine cabinets and different temperature zone settings, the restaurant can ensure that the wine it serves to its guests is at the right temperature.

## INSPIRATION


### HOTEL BRITANNIA

# Speilsalen

*Temptech is the proud supplier of wine cabinets to Michelin-starred restaurant Speilsalen at the Britannia Hotel in Trondheim, Norway.*

Head Sommelier and four-time Norwegian champion sommelier, Henrik Dahl Jahnsen, is responsible for the wine at Speilsalen and has chosen Temptech to provide their wine cabinets.

Temptech has supplied four large Copenhagen wine cabinets, which are beautifully positioned in the restaurant. This wine cabinet, with its special “label view” shelves, is very popular with restaurants, wine bars and private wine collectors. “The wine is showcased beautifully and it is easy to find the exact bottle you want,” says Dahl Jahnsen.



**Henrik Dahl Jahnsen**

“Head Sommelier” and four-time Norwegian champion sommelier is responsible for the wine in the Speilsalen restaurant.





**Kjartan Farnes**

“The Property Transformer” often uses Temptech’s wine cabinets in his house projects. Want help with your house project? Visit [www.farnese.no](http://www.farnese.no) for more information.



## INSPIRATION

### FARNESE EIENDOMSFORVANDLING

# “The Property Transformer”

*Kjartan Farnes from Tønsberg, Norway is a self-proclaimed “property transformer” who helps people to create their dream home.*

Kjartan helps people with innovative ideas when renovating houses or apartments. He creates stylish homes with smart, integrated design solutions. In many of his projects, he has used Temptech wine cabinets.

“A wine cabinet in the home helps to put the icing on the cake of the interior design,” he says. In this elegant house project, Kjartan has installed two of Temptech’s Copenhagen wine cabinets in the living room wall. The two built-in wine cabinets elevate the home’s modern urban design.

Looks good, doesn’t it?



#### WINE WALL IN THE LIVING ROOM

A wine wall or wine room in the home is a dream for many people but is often a very expensive solution. A simpler and more affordable solution is to install several wine cabinets next to each other, as in this house project. Having several wine cabinets also gives you the option of multiple temperature zones.

## OSLO WINE CABINETS

# Professional wine storage in the kitchen

*Wine cabinets with a timeless and beautiful design. Available in black, white or stainless steel. Designed for seamless integration in the kitchen.*

With standard dimensions for kitchens, the wine cabinets in the Oslo range are easy to integrate in any kitchen. They can be positioned either in a tall cabinet or under a counter with a base containing a ventilation strip at the front. The cabinets can also be used as freestanding units if you prefer.

### **Complete control of the temperature**

Our Oslo wine cabinets come with one or two physically separated temperature zones, which can be regulated separately. So you can easily ensure that your sparkling/white wines and your red wines are both ready to serve.

### **Safe storage**

Display and touchpanel for adjusting the temperature and lighting in the wine cabinet. White LED lighting in the wine cabinet interior provides a soft light. The energy-saving glass door contains UV protection that protects the wine by blocking harmful UV rays and heat. The wine bottles rest on pull-out wooden shelves made from solid beech, showcasing your wine collection.


### **Optimal storage conditions**

The humidity in the wine cabinet is maintained at an ideal level. Water from condensation is reused, maintaining the optimal humidity for the wine. The wine cabinet is cooled by a quiet compressor with low energy consumption. Specially developed vibration dampers ensure that the wine is stored in a calm and gentle environment.

You can rest assured that your wine is stored at a correct and even temperature with optimal humidity and protected against harmful UV rays and vibrations, just like in a traditional wine cellar.








“Seamless integration  
in the kitchen

**OSLO OX60DRB**

Wine cabinet with two adjustable temperature zones and capacity for up to 46 wine bottles.

“Store your wine  
the professional way





The wine cabinets in our Oslo range are designed to be easily integrated in any kitchen. If the wine cabinet is placed under a counter, there is a base at the front with a ventilation grille in front of the wine cabinet.

Separate models for placing in tall cabinets in the kitchen. Standard kitchen dimensions of 45, 60, 90 or 124 cm high.

### MORE INFORMATION

For a full overview of all the specifications of our wine cabinets, see the back of this catalogue or visit our website.



## OSLO WINE CABINETS



### OSLO OX15SRB

6 bottles

Single zone (5-20°C)

Integration under counter

Dim. (WxHxD): 145x813x525



### OSLO OX30DX

17 bottles

Dual zone (5-12°C, 12-20°C)

Integration under counter

Dim. (WxHxD): 295x813x570



### OSLO OX30DRB

17 bottles

Dual zone (5-12°C, 12-20°C)

Integration under counter

Dim. (WxHxD): 295x813x570



### OSLO OX30DRW

17 bottles

Dual zone (5-12°C, 12-20°C)

Integration under counter

Dim. (WxHxD): 295x813x570



### OSLO OX60DX

46 bottles

Dual zone (5-20°C, 5-20°C)

Integration under counter

Dim. (WxHxD): 595x813x570



### OSLO OX60DRB

46 bottles

Dual zone (5-20°C, 5-20°C)

Integration under counter

Dim. (WxHxD): 595x813x570



### OSLO OX60DRW

46 bottles

Dual zone (5-20°C, 5-20°C)

Integration under counter

Dim. (WxHxD): 595x813x570



### OSLO OZ45SBTOP

24 bottles

Single zone (5-20°C)

Integration in tall cabinet

Dim. (WxHxD): 595x448x566



### OSLO OZ45SB

18 bottles

Single zone (5-20°C)

Integration in tall cabinet

Dim. (WxHxD): 595x455x555



### OSLO OZ45SX

18 bottles

Single zone (5-20°C)

Integration in tall cabinet

Dim. (WxHxD): 595x455x555




### OSLO OZ45SW

18 bottles

Single zone (5-20°C)

Integration in tall cabinet

Dim. (WxHxD): 595x455x555



### OSLO OZ60SB

30 bottles

Single zone (5-20°C)

Integration in tall cabinet

Dim. (WxHxD): 590x590x570



## OSLO WINE CABINETS



### OSLO OZ60DB

28 bottles

Dual zone (5-20°C, 5-20°C)

Integration in tall cabinet

Dim. (WxHxD): 590x590x570



### OSLO OZ60DX

28 bottles

Dual zone (5-20°C, 5-20°C)

Integration in tall cabinet

Dim. (WxHxD): 590x590x570



### OSLO OZ60DW

28 bottles

Dual zone (5-20°C, 5-20°C)

Integration in tall cabinet

Dim. (WxHxD): 590x590x570



### OSLO OZ90DX

41 bottles

Dual zone (5-12°C, 12-20°C)

Integration in tall cabinet

Dim. (WxHxD): 590x885x570



### OSLO OZ90DB

41 bottles

Dual zone (5-12°C, 12-20°C)

Integration in tall cabinet

Dim. (WxHxD): 590x885x570




### OSLO OZ90DW

41 bottles

Dual zone (5-12°C, 12-20°C)

Integration in tall cabinet

Dim. (WxHxD): 590x885x570



### OSLO OZ124SB

81 bottles

Single zone (5-20°C)

Integration in tall cabinet

Dim. (WxHxD): 590x1233x570



### OSLO OZ124DB

74 bottles

Dual zone (5-12°C, 12-20°C)

Integration in tall cabinet

Dim. (WxHxD): 590x1233x570



### SUITABLE FOR ALL KITCHENS

All our wine cabinets have standard kitchen dimensions, making them easy to install or integrate in any kitchen. The door height of the wine cabinet varies between models, so please check the specification details for the exact measurements of the wine cabinet you want.

“Enjoy a better  
wine experience with wine  
at the right temperature



**PREMIUM WPQ60SCS**

Stylish wine cabinet with a steel front, pull-out  
shelves, single temperature zone and space for 46

## PREMIUM WINE CABINETS

# Our best-selling wine cabinet range

*Premium is designed for easy installation in kitchens. With standard kitchen dimensions, as well as front ventilation, the wine cabinets in the Premium range are easy to place under a kitchen counter.*

The wine cabinets come with a stainless steel front or a black slimline front with a thin steel frame. They are equipped with interior blue LED lighting, digital display and touchpanel for adjusting light and temperature, UV-protected glass door, pull-out wooden shelves and an active carbon filter

for clean and fresh air. The cabinets come with one or two temperature zones that can be regulated separately for the ideal serving temperature. With stable and correct temperature and humidity, UV protection and low vibration, you can be sure that your wine collection is stored perfectly!



### OUR BIGGEST-SELLING WINE CABINET

*Our bestseller! This wine cabinet has space for 46 bottles and is divided into two temperature zones. (Model: WPQ60DCB)*



### SUPER-SLIM DESIGN

*Short on space? This slimline wine cabinet is only 15 cm wide and has space for 7 wine bottles. (Model: WPQ15SCB)*

## PREMIUM WINE CABINETS



### PREMIUM WPQ15SCS

7 bottles

Single zone (5-20°C)

Built-in under counter

Dim. (WxHxD): 150x863x525



### PREMIUM WPQ15SCB

7 bottles

Single zone (5-20°C)

Built-in under counter

Dim. (WxHxD): 150x863x525



### PREMIUM WPQ30SCS

19 bottles

Single zone (5-20°C)

Built-in under counter

Dim. (WxHxD): 295x863x570



### PREMIUM WPQ30SCB

19 bottles

Single zone (5-20°C)

Built-in under counter

Dim. (WxHxD): 295x863x570



### PREMIUM WPQ38SCS

34 bottles

Single zone (5-20°C)

Built-in under counter

Dim. (WxHxD): 380x853x570



### PREMIUM WPQ38SCB

34 bottles

Single zone (5-20°C)

Built-in under counter

Dim. (WxHxD): 380x853x570



### PREMIUM WPQ38DCS

32 bottles

Dual zone (5-12°C, 12-20°C)

Built-in under counter

Dim. (WxHxD): 380x853x570



### PREMIUM WPQ38DCB

32 bottles

Dual zone (5-12°C, 12-20°C)

Built-in under counter

Dim. (WxHxD): 380x853x570



### PREMIUM WFQ60SCS

180 pcs. 33 cl cans

Single zone (2-20°C)

Built-in refrigerator

Dim. (WxHxD): 595x863x570



### PREMIUM WFQ60SCB

180 pcs. 33 cl cans

Single zone (2-20°C)

Built-in refrigerator

Dim. (WxHxD): 595x863x570



### PREMIUM WP2DQ60DCS

38 bottles

Dual zone (5-20°C, 5-20°C)

Built-in under counter

Dim. (WxHxD): 595x863x570



### PREMIUM WP2DQ60DCB

38 bottles

Dual zone (5-20°C, 5-20°C)

Built-in under counter

Dim. (WxHxD): 595x863x570

## PREMIUM WINE CABINETS



### PREMIUM WPQ60SCS

46 bottles

Single zone (5-20°C)

Built-in under counter

Dim. (WxHxD): 595x863x570



### PREMIUM WPQ60SCB

46 bottles

Single zone (5-20°C)

Built-in under counter

Dim. (WxHxD): 595x863x570



### PREMIUM WPQ60DCS

46 bottles

Dual zone (5-12°C, 12-20°C)

Built-in under counter

Dim. (WxHxD): 595x863x570



### PREMIUM WPQ60DCB

46 bottles

Dual zone (5-12°C, 12-20°C)

Built-in under counter

Dim. (WxHxD): 595x863x570



### PREMIUM WPX60DCS

46 bottles

Dual zone (5-12°C, 12-20°C)

Integration under counter

Dim. (WxHxD): 595x813x570



### PREMIUM WPX60DCB

46 bottles

Dual zone (5-12°C, 12-20°C)

Integration under counter

Dim. (WxHxD): 595x813x570



### PREMIUM WP120DCS

94 bottles

Dual zone (5-12°C, 12-20°C)

Freestanding wine cabinet

Dim. (WxHxD): 595x1215x680



### PREMIUM WP120DCB

94 bottles

Dual zone (5-12°C, 12-20°C)

Freestanding wine cabinet

Dim. (WxHxD): 595x1215x680



### PREMIUM WP180SCS

166 bottles

Single zone (5-20°C)

Freestanding wine cabinet

Dim. (WxHxD): 595x1770x680



### PREMIUM WP180SCB

166 bottles

Single zone (5-20°C)

Freestanding wine cabinet

Dim. (WxHxD): 595x1770x680



### PREMIUM WP180DCS

155 bottles

Dual zone (5-12°C, 12-20°C)

Freestanding wine cabinet

Dim. (WxHxD): 595x1770x680



### PREMIUM WP180DCB

155 bottles

Dual zone (5-12°C, 12-20°C)

Freestanding wine cabinet

Dim. (WxHxD): 595x1770x680



Category Winner

## HOUSEHOLD APPLIANCE OF THE YEAR

# 2019/2020

*from "The Consumer Electronics  
Trade Foundation" in Norway*

---

*The Copenhagen CD180SBB  
(now CPRO1800SRB) was named  
"Household Appliance Of The Year  
2019/2020" by the Norwegian  
Consumer Electronics Trade Foundation*



**ÅRETS  
HVITEVARE  
2019/20**

**TEMPTECH COPENHAGEN CD180SB-B**





## COPENHAGEN WINE CABINETS

# Made to showcase your wine collection

*Our Copenhagen wine cabinets are equipped with specially designed “label view” shelves that elegantly display your wine bottles. The perfect cabinets for professional use or for the wine enthusiast!*

The Copenhagen range is designed for professional use as a serving cabinet in bars and restaurants. The wine cabinets come in two sizes, with capacity for either 38 or 143 bottles, and are equipped with a single temperature zone that can be set anywhere between 5 and 20°C. With a Copenhagen wine cabinet, you can be sure that your wine collection is stored in ideal conditions. The specially designed “label view” shelves elegantly display the bottles and labels, giving a clear overview of your wine collection. Each shelf can be pulled out fully and fits all kinds of bottle shapes:

Bordeaux, Burgundy, Champagne, Riesling and even some magnums.



### “LABEL VIEW” SHELVES

The specially designed “label view” shelves elegantly display the wine bottles along the front. The sturdy steel shelves are telescopic and can be pulled out fully, so you can easily find the right bottle of wine!

### BEAUTIFUL DESIGN

The Copenhagen range is beautifully designed. Choose between a stainless steel front or a black glass front with integrated handle. The wine cabinet is illuminated on the inside of the door using delicate white LED lighting.





#### PLENTY OF ROOM FOR ALL BOTTLE

The “label view” shelves can accommodate all kinds of bottle shapes, such as Bordeaux, Burgundy, Riesling and Champagne. Each shelf can be pulled out fully, providing a good overview of your wine collection.

## COPENHAGEN WINE CABINETS



### COPENHAGEN CPRO1800SRB

143 bottles

Single zone (5-20°C)

Freestanding wine cabinet

Dim. (WxHxD): 655x1835x680



### COPENHAGEN CPRO1800SX

143 bottles

Single zone (5-20°C)

Freestanding wine cabinet

Dim. (WxHxD): 655x1835x680



### COPENHAGEN CPROX60SRB

40 bottles

Single zone (5-20°C)

Integration under counter

Dim. (WxHxD): 595x813x570



### COPENHAGEN CPROX60SX

40 bottles

Single zone (5-20°C)

Integration under counter

Dim. (WxHxD): 595x813x570



#### ELEGANCE EX60DRB

Dual-zone wine cabinet with a black glass front and integrated handle. Space for up to 46 bottles.

## Elegant design and clean lines

*The Elegance range combines elegant design with optimal storage conditions for your wine!*

Elegance wine cabinets are available in two sizes and with a stainless steel front or a glass front in black or white finish with an integrated handle. There are two temperature zones and both can be set to between 5 and 20°C, giving you complete flexibility in your storage conditions.

#### ELEGANT DESIGN

The wine cabinets have an elegant design with clean lines. The wine cabinet's display is on the outside of the door, making it easy to read and adjust the temperature and lighting inside the cabinet.

#### SAFE STORAGE

The quiet, energy-efficient compressor rests on anti-vibration dampers that protect the wine against harmful vibrations. An activate carbon filter ensures clean and odourless air.





## ELEGANCE WINE CABINETS



**ELEGANCE E1000DRB**  
153 bottles  
Dual zone (5-20°C, 5-20°C)  
Freestanding wine cabinet  
Dim. (WxHxD): 655x1835x680



**ELEGANCE E1000DX**  
153 bottles  
Dual zone (5-20°C, 5-20°C)  
Freestanding wine cabinet  
Dim. (WxHxD): 655x1835x680



**ELEGANCE E1000DRW**  
153 bottles  
Dual zone (5-20°C, 5-20°C)  
Freestanding wine cabinet  
Dim. (WxHxD): 655x1835x680



**ELEGANCE EX60DRB**  
46 bottles  
Dual zone (5-20°C, 5-20°C)  
Built-in under counter  
Dim. (WxHxD): 595x863x580



**ELEGANCE EX60DX**  
46 bottles  
Dual zone (5-20°C, 5-20°C)  
Built-in under counter  
Dim. (WxHxD): 595x863x580



**ELEGANCE EX60DRW**  
46 bottles  
Dual zone (5-20°C, 5-20°C)  
Built-in under counter  
Dim. (WxHxD): 595x863x580



## CONNOISSEUR WINE CABINETS

# Professional long-term wine storage

*Our exclusive Connoisseur wine storage cabinets are designed for wine collectors and experts who need to store their wine for many years to come.*

The wine cabinets come with full-length doors and a single temperature zone that can be set anywhere between 5 and 20°C. You also have full control and can adjust the humidity in the wine cabinet. The wine cabinets have a low noise level and the compressor emits very little vibration. Interior LED lighting and beautiful beech shelves and drawers will provide safe storage of your wine collection for many years to come!



## CONNOISSEUR WINE CABINETS



### CONNOISSEUR TCON196SYBL

237 bottles

Single zone (5-20°C)

Freestanding wine storage cabinet

Adjustable humidity

Dim. (WxHxD): 600x1960x770



### CONNOISSEUR TCON196SYBR

237 bottles

Single zone (5-20°C)

Freestanding wine storage cabinet

Adjustable humidity

Dim. (WxHxD): 600x1960x770



### CONNOISSEUR TCON5000SY

474 bottles

Dual zone (5-20°C, 5-20°C)

Freestanding wine storage cabinet

Adjustable humidity

Dim. (WxHxD): 1220x1960x770



### SOLID WOODEN SHELVES AND DRAWERS

The wine storage cabinets are equipped with wooden shelves and drawers made from solid beech. Practical, pull-out wooden drawers provide a good overview of your wine collection.



### FULL CONTROL!

A Connoisseur wine storage cabinet gives you full control over the temperature and humidity. Set and check the exact temperature and humidity you want on the display at the top of the wine cabinet.


## PERFORMANCE WINE CABINET

# Ready-to-serve wine always available!

*Freestanding, easily positioned wine cabinet  
with one temperature zone and space for 34  
bottles.*

Freestanding wine cabinet with a stylish design that makes it ideal for either the living room or the kitchen. The wine cabinet comes with a single temperature zone that can be set anywhere between 5 and 18°C and it can accommodate up to 34 wine bottles.

The wine cabinet has a glass door with an integrated handle. The wine bottles rest on pull-out steel shelves. The interior white LED lighting elegantly illuminates the inside of the wine cabinet. There is a touchpanel and display on the door for easy adjustment of temperature and light. The wine cabinet is cooled by a quiet and energy-efficient compressor.



### PERFORMANCE PWF9500SBS

Freestanding wine cabinet

Glass front with steel frame

Integrated handle

1 temperature zone (5–18°C)

34 bottles

Pull-out steel shelves

LED lighting

Touchpanel and display

Energy class F

Compressor cooling

Dim. (WxHxD): 490x842x440

# Proper storage for cigars

*Cigars are a fresh product that need to be stored correctly,  
at the right temperature and humidity.*



A compact, modern humidor for the proper storage of cigars. Stylish design with a glass front and stainless steel frame. The humidor comes with three pull-out cedar shelves, hygrometer, digital touchpanel for adjusting the temperature and interior LED lighting. The humidor has a capacity of approximately 250 cigars.

## Proper storage

The ideal storage temperature for cigars is around 16–20°C, with a humidity of 60–70%. If the humidity falls too low, the oils in the tobacco can evaporate and the taste of the cigar deteriorates. If the humidity rises too high, the cigar can split or become mouldy.



## HUMIDOR FCH3300SSCW

Temperature range 12–23°C

Capacity for 250 cigars

Cedar shelves

Hygrometer

LED lighting

Thermoelectric cooling

Dim. (WxHxD): 355x483x495



# Product specifications

*Here you will find an overview of all the product specifications  
for all our wine cabinet models.*



## PRODUCT SPECIFICATIONS



	OX15SRB	OX30DX	OX30DRB	OX30DRW	OX60DX	OX60DRB
<b>Series</b>	Oslo	Oslo	Oslo	Oslo	Oslo	Oslo
<b>Bottle capacity</b>	6	17	17	17	46	46
<b>Temperature zones</b>	1	2	2	2	2	2
<b>Temperature range</b>	5-20°C	5-12°C, 12-20°C	5-12°C, 12-20°C	5-12°C, 12-20°C	5-20°C, 5-20°C	5-20°C, 5-20°C
<b>No. of shelves</b>	5	5	5	5	6	6
<b>Antivibration shelves</b>	No	No	No	No	Yes	Yes
<b>Capacity</b>	18 liter	58 liter	58 liter	58 liter	145 liter	145 liter
<b>Soundlevel</b>	40 dBA	39 dBA	39 dBA	39 dBA	39 dBA	39 dBA
<b>Reversibel door</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Installation type</b>	Int. under counter	Int. under counter	Int. under counter	Int. under counter	Int. under counter	Int. under counter
<b>Door lock</b>	No	No	No	No	No	No
<b>UV-protected glass</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Glass door</b>	3-layer	2-layer w/argon	2-layer w/argon	2-layer w/argon	2-layer w/argon	2-layer w/argon
<b>Active coalfilter</b>	No	No	No	No	Yes	Yes
<b>LED-lighting</b>	Yes (white)	Yes (white)	Yes (white)	Yes (white)	Yes (white)	Yes (white)
<b>Voltage</b>	220-240V	220-240V	220-240V	220-240V	220-240V	220-240V
<b>Rated Power</b>	63W	88W	88W	88W	110W	110W
<b>Power cord length (cm)</b>	150 cm	150 cm	150 cm	150 cm	150 cm	150 cm
<b>Product dim. (WxHxD)</b>	148x813x525	295x813x570	295x813x570	295x813x570	595x813x570	595x813x570
<b>Packing dim. (WxHxD)</b>	200x840x580	330x855x635	330x855x635	330x855x635	660x880x625	660x880x625
<b>Net weight</b>	18 kg	29 kg	29 kg	29 kg	46 kg	46 kg
<b>Gross weight</b>	20 kg	31 kg	31 kg	31 kg	50 kg	50 kg
<b>Door height</b>	700 mm	715 mm	715 mm	715 mm	715 mm	715 mm
<b>Cooling technology</b>	Compressor	Compressor	Compressor	Compressor	Compressor	Compressor
<b>Coolant</b>	R600a (14g)	R600a (17g)	R600a (17g)	R600a (17g)	R600a (29g)	R600a (29g)
<b>Antivibration compressor</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Certification</b>	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP
<b>Energy class</b>	G	F	F	F	F	F
<b>Climate Class</b>	N, ST	N, ST	N, ST	N, ST	N, ST	N, ST
<b>Annual power consumption</b>	145 kwh	93 kwh	93 kwh	93 kwh	106 kwh	106 kwh
<b>Production country</b>	China	China	China	China	China	China
<b>EAN</b>	7090013678153	7090013678146	7090013678498	7090013678542	7090013678559	7090013678504

## PRODUCT SPECIFICATIONS



	OX60DRW	OZ45SX	OZ45SB	OZ45SW	OZ45SBTOP	OZ60SB
<b>Series</b>	Oslo	Oslo	Oslo	Oslo	Oslo	Oslo
<b>Bottle capacity</b>	46	18	18	18	24	30
<b>Temperature zones</b>	2	1	1	1	1	1
<b>Temperature range</b>	5-20°C, 5-20°C	5-20°C	5-20°C	5-20°C	5-20°C	5-20°C
<b>No. of shelves</b>	6	2	2	2	3	4
<b>Antivibration shelves</b>	Yes	Yes	Yes	Yes	Yes	No
<b>Capacity</b>	145 liter	55 liter	55 liter	55 liter	55 liter	90 liter
<b>Soundlevel</b>	39 dBA	39 dBA	39 dBA	39 dBA	39 dBA	39 dBA
<b>Reversibel door</b>	Yes	Yes	Yes	Yes	No	Yes
<b>Installation type</b>	Int. under counter	Int. tall cabinet	Int. tall cabinet	Int. tall cabinet	Int. tall cabinet	Int. tall cabinet
<b>Door lock</b>	No	No	No	No	No	No
<b>UV-protected glass</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Glass door</b>	2-layer w/argon	3-layer w/argon	3-layer w/argon	3-layer w/argon	3-layer w/argon	2-layer w/argon
<b>Active coalfilter</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>LED-lighting</b>	Yes (white)	Yes (white)	Yes (white)	Yes (white)	Yes (white)	Yes (white)
<b>Voltage</b>	220-240V	220-240V	220-240V	220-240V	220-240V	220-240V
<b>Rated Power</b>	110W	55W	55W	55W	55W	75W
<b>Power cord length (cm)</b>	150 cm	150 cm	150 cm	150 cm	150 cm	150 cm
<b>Product dim. (WxHxD)</b>	595x813x570	595x455x555	595x455x555	595x455x555	595x448x566	590x590x570
<b>Packing dim. (WxHxD)</b>	660x880x625	655x525x655	655x525x655	655x525x655	655x525x655	655x655x690
<b>Net weight</b>	46 kg	29 kg	29 kg	29 kg	30 kg	43 kg
<b>Gross weight</b>	50 kg	31 kg	31 kg	31 kg	34 kg	47 kg
<b>Door height</b>	715 mm	451 mm	451 mm	451 mm	445 mm	590 mm
<b>Cooling technology</b>	Compressor	Compressor	Compressor	Compressor	Compressor	Compressor
<b>Coolant</b>	R600a (29g)	R600a (18g)	R600a (18g)	R600a (18g)	R600a (18g)	R600a (23g)
<b>Antivibration compressor</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Certification</b>	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP
<b>Energy class</b>	F	F	F	F	F	G
<b>Climate Class</b>	N, ST	N, ST	N, ST	N, ST	N, ST	N, ST
<b>Annual power consumption</b>	106 kwh	90 kwh	90 kwh	90 kwh	99 kwh	125 kwh
<b>Production country</b>	China	China	China	China	China	China
<b>EAN</b>	7090013678511	7090013678122	7090013678115	7090013678566	7090013678528	7090013678474

## PRODUCT SPECIFICATIONS



OZ60DB	OZ60DX	OZ60DW	OZ90DB	OZ90DX	OZ90DW	OZ124SB	OZ124DB
Oslo	Oslo	Oslo	Oslo	Oslo	Oslo	Oslo	Oslo
28	28	28	41	41	41	81	74
2	2	2	2	2	2	1	2
5-20°C, 5-20°C	5-20°C, 5-20°C	5-20°C, 5-20°C	5-12°C, 12-20°C	5-12°C, 12-20°C	5-12°C, 12-20°C	5-20°C	5-12°C, 12-20°C
3	3	3	6	6	6	11	10
No	No	No	No	No	No	No	No
90 liter	90 liter	90 liter	126 liter	126 liter	126 liter	230 liter	230 liter
39 dBA	39 dBA	39 dBA	39 dBA	39 dBA	39 dBA	39 dBA	39 dBA
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Int. tall cabinet	Int. tall cabinet	Int. tall cabinet	Int. tall cabinet	Int. tall cabinet	Int. tall cabinet	Int. tall cabinet	Int. tall cabinet
No	No	No	No	No	No	No	No
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2-layer w/argon	2-layer w/argon	2-layer w/argon	2-layer w/argon	2-layer w/argon	2-layer w/argon	2-layer w/argon	2-layer w/argon
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes (white)	Yes (white)	Yes (white)	Yes (white)	Yes (white)	Yes (white)	Yes (white)	Yes (white)
220-240V	220-240V	220-240V	220-240V	220-240V	220-240V	220-240V	220-240V
75W	75W	75W	75W	75W	75W	75W	95W
150 cm	150 cm	150 cm	150 cm	150 cm	150 cm	150 cm	150 cm
590x590x570	590x590x570	590x590x570	590x885x570	590x885x570	590x885x570	590x1233x570	590x1233x570
655x655x690	655x655x690	655x655x690	655x960x690	655x960x690	655x960x690	655x1300x690	655x1300x690
45 kg	45 kg	45 kg	49 kg	49 kg	49 kg	72 kg	75 kg
49 kg	49 kg	49 kg	55 kg	55 kg	55 kg	75 kg	79 kg
590 mm	590 mm	590 mm	885 mm	885 mm	885 mm	1231 mm	1231 mm
Compressor	Compressor	Compressor	Compressor	Compressor	Compressor	Compressor	Compressor
R600a (23g)	R600a (23g)	R600a (23g)	R600a (30g)	R600a (30g)	R600a (30g)	R600a (40g)	R600a (40g)
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP
G	G	G	G	G	G	G	G
N, ST	N, ST	N, ST	N, ST	N, ST	N, ST	N, ST	N, ST
130 kwh	130 kwh	130 kwh	133 kwh	133 kwh	133 kwh	166 kwh	169 kwh
China	China	China	China	China	China	China	China
7090013677477	7090013678276	7090013678283	7090013678290	7090013678306	7090013678313	7090013678573	7090013678580



## PRODUCT SPECIFICATIONS



	WPQ15SCS	WPQ15SCB	WPQ30SCS	WPQ30SCB	WPQ38SCS	WPQ38SCB
<b>Series</b>	Premium	Premium	Premium	Premium	Premium	Premium
<b>Bottle capacity</b>	7	7	19	19	34	34
<b>Temperature zones</b>	1	1	1	1	1	1
<b>Temperature range</b>	5-20°C	5-20°C	5-20°C	5-20°C	5-20°C	5-20°C
<b>No. of shelves</b>	6	6	6	6	7	7
<b>Antivibration shelves</b>	No	No	No	No	No	No
<b>Capacity</b>	22 liter	22 liter	58 liter	58 liter	88 liter	88 liter
<b>Soundlevel</b>	39 dBA	39 dBA	39 dBA	39 dBA	39 dBA	39 dBA
<b>Reversibel door</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Installation type</b>	Built-in u. counter	Built-in u. counter	Built-in u. counter	Built-in u. counter	Built-in u. counterr	Built-in u. counter
<b>Door lock</b>	No	No	No	No	No	No
<b>UV-protected glass</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Glass door</b>	3-layer	3-layer	2-layer	2-layer	2-layer	2-layer
<b>Active coalfilter</b>	No	No	Yes	Yes	Yes	Yes
<b>LED-lighting</b>	Yes (blue)	Yes (blue)	Yes (blue)	Yes (blue)	Yes (blue)	Yes (blue)
<b>Voltage</b>	220-240V	220-240V	220-240V	220-240V	220-240V	220-240V
<b>Rated Power</b>	63W	63W	88W	88W	100W	100W
<b>Power cord length (cm)</b>	150 cm	150 cm	150 cm	150 cm	150 cm	150 cm
<b>Product dim. (WxHxD)</b>	150x863x525	150x863x525	295x863x570	295x863x570	380x853x570	380x853x570
<b>Packing dim. (WxHxD)</b>	200x890x580	200x890x580	330x905x635	330x905x635	440x910x625	440x910x625
<b>Net weight</b>	20 kg	20 kg	29 kg	29 kg	36 kg	36 kg
<b>Gross weight</b>	21 kg	21 kg	31 kg	31 kg	38 kg	38 kg
<b>Door height</b>	715 mm	715 mm	715 mm	715 mm	750 mm	750 mm
<b>Cooling technology</b>	Compressor	Compressor	Compressor	Compressor	Compressor	Compressor
<b>Coolant</b>	R600a (14g)	R600a (14g)	R600a (19g)	R600a (19g)	R600a (17g)	R600a (17g)
<b>Antivibration compressor</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Certification</b>	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP
<b>Energy class</b>	G	G	G	G	G	G
<b>Climate Class</b>	N, ST	N, ST	N, ST	N, ST	N, ST	N, ST
<b>Annual power consumption</b>	145 kwh	145 kwh	118 kwh	118 kwh	136 kwh	136 kwh
<b>Production country</b>	China	China	China	China	China	China
<b>EAN</b>	7090013677811	7090013677804	7090013677828	7090013677835	7090013677842	7090013677859

## PRODUCT SPECIFICATIONS











WPQ38DCS	WPQ38DCB	WP2DQ60DCS	WP2DQ60DCB	WFQ60SCS	WFQ60SCB	WPQ60SCS	WPQ60SCB
Premium	Premium	Premium	Premium	Premium	Premium	Premium	Premium
32	32	38	38	180 pcs. 33 cl cans	180 pcs. 33 cl cans	46	46
2	2	2	2	1	1	1	1
5-12°C, 12-20°C	5-12°C, 12-20°C	5-20°C, 5-20°C	5-20°C, 5-20°C	2-20°C	2-20°C	5-20°C	5-20°C
6	6	2x6	2x6	3	3	6	6
No	No	No	No	No	No	Yes	Yes
88 liter	88 liter	116 liter	116 liter	145 liter	145 liter	145 liter	145 liter
39 dBA	39 dBA	39 dBA	39 dBA	40 dBA	40 dBA	39 dBA	39 dBA
Yes	Yes	No	No	Yes	Yes	Yes	Yes
Built-in u. counter	Built-in u. counter	Built-in u. counter	Built-in u. counter	Built-in refrigerator	Built-in refrigerator	Built-in u. counter	Built-in u. counter
No	No	No	No	No	No	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2-layer	2-layer	2-layer w/argon	2-layer w/argon	2-layer	2-layer	2-layer	2-layer
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes (blue)	Yes (blue)	Yes (blue)	Yes (blue)	Yes (blue)	Yes (blue)	Yes (blue)	Yes (blue)
220-240V	220-240V	220-240V	220-240V	220-240V	220-240V	220-240V	220-240V
100W	100W	95W	95W	100W	100W	100W	100W
150 cm	150 cm	150 cm	150 cm	150 cm	150 cm	150 cm	150 cm
380x853x570	380x853x570	595x863x570	595x863x570	595x863x570	595x863x570	595x863x570	595x863x570
440x910x625	440x910x625	660x930x625	660x930x625	660x930x625	660x930x625	660x930x625	660x930x625
38 kg	38 kg	48 kg	48 kg	44 kg	44 kg	44 kg	44 kg
40 kg	40 kg	52 kg	52 kg	48 kg	48 kg	48 kg	48 kg
750 mm	750 mm	715 mm	715 mm	715 mm	715 mm	715 mm	715 mm
Compressor	Compressor	Compressor	Compressor	Compressor	Compressor	Compressor	Compressor
R600a (17g)	R600a (17g)	R600a (24g)	R600a (24g)	R600a (29g)	R600a (29g)	R600a (29g)	R600a (29g)
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP
G	G	G	G	G	G	G	G
N, ST	N, ST	N, ST	N, ST	N, ST	N, ST	N, ST	N, ST
139 kwh	139 kwh	133 kwh	133 kwh	137 kwh	137 kwh	137 kwh	137 kwh
China	China	China	China	China	China	China	China
7090013677866	7090013677873	7090013677880	7090013677897	7090013678108	7090013678092	7090013677910	7090013677903

## PRODUCT SPECIFICATIONS




	WPQ60DCS	WPQ60DCB	WPX60DCS	WPX60DCB	WP120DCS	WP120DCB
<b>Series</b>	Premium	Premium	Premium	Premium	Premium	Premium
<b>Bottle capacity</b>	46	46	46	46	94	94
<b>Temperature zones</b>	2	2	2	2	2	2
<b>Temperature range</b>	5-12°C, 12-20°C	5-12°C, 12-20°C	5-12°C, 12-20°C	5-12°C, 12-20°C	5-12°C, 12-20°C	5-12°C, 12-20°C
<b>No. of shelves</b>	6	6	6	6	8	8
<b>Antivibration shelves</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Capacity</b>	145 liter	145 liter	145 liter	145 liter	270 liter	270 liter
<b>Soundlevel</b>	39 dBA	39 dBA	39 dBA	39 dBA	40 dBA	40 dBA
<b>Reversibel door</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Installation type</b>	Built-in u. counter	Built-in u. counter	Int. under counter	Int. under counter	Freestanding	Freestanding
<b>Door lock</b>	Yes	Yes	No	No	Yes	Yes
<b>UV-protected glass</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Glass door</b>	2-layer	2-layer	2-layer	2-layer	2-layer w/argon	2-layer w/argon
<b>Active coalfilter</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>LED-lighting</b>	Yes (blue)	Yes (blue)	Yes (blue)	Yes (blue)	Yes (blue)	Yes (blue)
<b>Voltage</b>	220-240V	220-240V	220-240V	220-240V	220-240V	220-240V
<b>Rated Power</b>	100W	100W	100W	100W	120W	120W
<b>Power cord length (cm)</b>	150 cm	150 cm	150 cm	150 cm	180 cm	180 cm
<b>Product dim. (WxHxD)</b>	595x863x570	595x863x570	595x813x570	595x813x570	595x1215x680	595x1215x680
<b>Packing dim. (WxHxD)</b>	660x930x625	660x930x625	660x880x625	660x880x625	660x1260x745	660x1260x745
<b>Net weight</b>	47 kg	47 kg	46 kg	46 kg	72 kg	72 kg
<b>Gross weight</b>	51 kg	51 kg	50 kg	50 kg	77 kg	77 kg
<b>Door height</b>	715 mm	715 mm	715 mm	715 mm	1094 mm	1094 mm
<b>Cooling technology</b>	Compressor	Compressor	Compressor	Compressor	Compressor	Compressor
<b>Coolant</b>	R600a (29g)	R600a (29g)	R600a (30g)	R600a (30g)	R600a (51g)	R600a (51g)
<b>Antivibration compressor</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Certification</b>	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP
<b>Energy class</b>	G	G	G	G	G	G
<b>Climate Class</b>	N, ST	N, ST	N, ST	N, ST	N, ST	N, ST
<b>Annual power consumption</b>	145 kwh	145 kwh	145 kwh	145 kwh	172 kwh	172 kwh
<b>Production country</b>	China	China	China	China	China	China
<b>EAN</b>	7090013677927	7090013677934	7090013677941	7090013677958	7090013677965	7090013677972

## PRODUCT SPECIFICATIONS

							
WP180SCS	WP180SCB	WP180DCS	WP180DCB	CPROX60SRB	CPROX60SX	CPR01800SRB	CPR01800SX
Premium	Premium	Premium	Premium	Copenhagen	Copenhagen	Copenhagen	Copenhagen
166	166	155	155	40	40	143	143
1	1	2	2	1	1	1	1
5-20°C	5-20°C	5-12°C, 12-20°C	5-12°C, 12-20°C	5-20°C	5-20°C	5-20°C	5-20°C
15	15	14	14	4 ("label view")	4 ("label view")	12 ("label view")	12 ("label view")
Yes	Yes	Yes	Yes	No	No	No	No
428 liter	428 liter	428 liter	428 liter	138 liter	138 liter	490 liter	490 liter
40 dBA	40 dBA	40 dBA	40 dBA	38 dBA	38 dBA	40 dBA	40 dBA
Yes	Yes	Yes	Yes	Yes	Yes	No	No
Freestanding	Freestanding	Freestanding	Freestanding	Int. under counter	Int. under counter	Freestanding	Freestanding
Yes	Yes	Yes	Yes	No	No	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2-layer w/argon	2-layer w/argon	2-layer w/argon	2-layer w/argon	2-layer w/argon	2-layer w/argon	2-layer w/argon	2-layer w/argon
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes (blue)	Yes (blue)	Yes (blue)	Yes (blue)	Yes	Yes	Yes	Yes
220-240V	220-240V	220-240V	220-240V	220-240V	220-240V	220-240V	220-240V
160W	160W	160W	160W	110W	110W	180W	180W
180 cm	180 cm	180 cm	180 cm	150 cm	150 cm	180 cm	180 cm
595x1770x680	595x1770x680	595x1770x680	595x1770x680	595x813x570	595x813x570	655x1835x680	655x1835x680
660x1935x745	660x1935x745	660x1935x745	660x1935x745	660x880x625	660x880x625	700x2000x745	700x2000x745
100 kg	100 kg	102 kg	102 kg	51 kg	51 kg	106 kg	106 kg
112 kg	112 kg	114 kg	114 kg	54 kg	54 kg	116 kg	116 kg
1648 mm	1648 mm	1648 mm	1648 mm	715 mm	715 mm	1716 mm	1716 mm
Compressor	Compressor	Compressor	Compressor	Compressor	Compressor	Compressor	Compressor
R600a (51g)	R600a (51g)	R600a (51g)	R600a (51g)	R600a (30g)	R600a (30g)	R600a (51g)	R600a (51g)
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP
G	G	G	G	E	E	F	F
N, ST	N, ST	N, ST	N, ST	N, ST	N, ST	N, ST	N, ST
199 kwh	199 kwh	199 kwh	199 kwh	83 kwh	83 kwh	128 kwh	128 kwh
China	China	China	China	China	China	China	China
7090013678009	7090013678016	7090013677989	7090013677996	7090013678061	7090013678078	7090013678085	7090013678597



## PRODUCT SPECIFICATIONS




	EX60DRB	EX60DRW	EX60DX	E1000DRB	E1000DRW	E1000DX
<b>Series</b>	Elegance	Elegance	Elegance	Elegance	Elegance	Elegance
<b>Bottle capacity</b>	46	46	46	153	153	153
<b>Temperature zones</b>	2	2	2	2	2	2
<b>Temperature range</b>	5-20°C, 5-20°C	5-20°C, 5-20°C	5-20°C, 5-20°C	5-20°C, 5-20°C	5-20°C, 5-20°C	5-20°C, 5-20°C
<b>No. of shelves</b>	6	6	6	12	12	12
<b>Antivibration shelves</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Capacity</b>	145 liter	145 liter	145 liter	490 liter	490 liter	490 liter
<b>Soundlevel</b>	39 dBA	39 dBA	39 dBA	40 dBA	40 dBA	40 dBA
<b>Reversibel door</b>	No	No	No	No	No	No
<b>Installation type</b>	Built-in u. counter	Built-in u. counter	Built-in u. counter	Freestanding	Freestanding	Freestanding
<b>Door lock</b>	No	No	No	Yes	Yes	Yes
<b>UV-protected glass</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Glass door</b>	2-layer w/argon	2-layer w/argon	2-layer w/argon	2-layer w/argon	2-layer w/argon	2-layer w/argon
<b>Active coalfilter</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>LED-lighting</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Voltage</b>	220-240V	220-240V	220-240V	220-240V	220-240V	220-240V
<b>Rated Power</b>	110W	110W	110W	180W	180W	180W
<b>Power cord length (cm)</b>	150 cm	150 cm	150 cm	180 cm	180 cm	180 cm
<b>Product dim. (WxHxD)</b>	595x863x580	595x863x580	595x863x580	655x1835x680	655x1835x680	655x1835x680
<b>Packing dim. (WxHxD)</b>	660x890x625	660x890x625	660x890x625	700x2000x745	700x2000x745	700x2000x745
<b>Net weight</b>	47 kg	47 kg	47 kg	128 kg	128 kg	128 kg
<b>Gross weight</b>	51 kg	51 kg	51 kg	146 kg	146 kg	146 kg
<b>Door height</b>	715 mm	715 mm	715 mm	1716 mm	1716 mm	1716 mm
<b>Cooling technology</b>	Compressor	Compressor	Compressor	Compressor	Compressor	Compressor
<b>Coolant</b>	R600a (30g)	R600a (30g)	R600a (30g)	R600a (51g)	R600a (51g)	R600a (51g)
<b>Antivibration compressor</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Certification</b>	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP	RoHs, CE, CB, ERP
<b>Energy class</b>	F	F	F	F	F	F
<b>Climate Class</b>	N, ST	N, ST	N, ST	N	N	N
<b>Annual power consumption</b>	106 kwh	106 kwh	106 kwh	135 kwh	135 kwh	135 kwh
<b>Production country</b>	China	China	China	China	China	China
<b>EAN</b>	7090013678030	7090013678023	7090013678047	7090013678467	7090013678481	7090013678054


			
TCON196SYBL	TCON196SYBR	TCON5000SY	PWF9500SBS
Connoisseur	Connoisseur	Connoisseur	Performance
237	237	474	34
1	1	2	1
5-20°C	5-20°C	5-20°C, 5-20°C	5-18°C
3	3	10	7
No	No	No	No
485 liter	485 liter	970 liter	96 liter
41 dBA	41 dBA	41 dBA	39 dBA
No	No	No	No
Freestanding	Freestanding	Freestanding	Freestanding
Yes	Yes	Yes	No
No	No	No	No
No	No	No	Yes
Yes	Yes	Yes	No
Yes	Yes	Yes	Yes (blue)
220-240V	220-240V	220-240V	220-240V
-	-	-	85W
-	-	-	150 cm
600x1960x770	600x1960x770	1220x1960x770	490x842x440
680x2090x850	680x2090x850	1300x2090x850	530x876x478
94 kg	94 kg	188 kg	29 kg
117 kg	117 kg	228 kg	31 kg
-	-	-	-
Compressor	Compressor	Compressor	Compressor
R600a	R600a	R600a	R600a (25g)
Yes	Yes	Yes	No
CE, RoHS	CE, RoHS	CE, RoHS	CE, RoHS, ErP
G	G	G	G
SN	SN	SN	N
151 kwh	151 kwh	302 kwh	145 kwh
Portugal	Portugal	Portugal	China
5604916047415	5604916047422	5604916047439	7090013678719

# Installation of wine cabinets


*Here you will find an overview of installation drawings for the various wine cabinet models.  
Installation drawings are also available for download from our website.*




**Model:** WPQ15SCS, WPQ15SCB



**Model:** OX15SRB, SOMX15SRB




**Model:** WPQ30SCS, WPQ30SCB




**Model:** OX30DX, OX30DRB, OX30DRW, SOMX30DRB, PRESX30SB, STX30DRB, STX30DS


## INSTALLATION




**Model:** WPQ38SCS, WPQ38SCB, WPQ38DCS, WPQ38DCB, SOMQ38DRB, PRESQ38DB




**Model:** WP2DQ60DCS, WP2DQ60DCB




**Model:** WPQ60SCS, WPQ60SCB, WPQ60DCS, WPQ60DCB, WFQ60SCS, WFQ60SCB, EX60DRB, EX60DRW, EX60DX



**Model:** WPX60DCS, WPX60DCB, OX60DRB, OX60DRW, OX60DX, CPROX60SRB, CPROX60SX, SOMX60DRB, PRESX60DB, PRESPROX60SRB, STX60DS, STX60DRB




**Model:** WP120DCS, WP120DCB




**Model:** WP180SCS, WP180SCB, WP180DCS, WP180DCB, SOM180DRB, PRES180DB, ST180DRB, ST180DS




## INSTALLATION




**Model:** E1000DRB, E1000DRW, E1000DX, CPR01800SRB,  
CPR01800SX




**Model:** OZ45SBTOP, SOMZ45SB




**Model:** OZ45SX, OZ45SB, OZ45SW



**Model:** OZ60SB, OZ60DB, OZ60DX, OZ60DW, STZ60SB, STZ60SX



**Model:** OZ90DB, OZ90DX, OZ90DW



**Model:** OZ124SB, OZ124DB



# TEMPTECH

Temptech AS  
Borgeskogen 26  
3160 Stokke  
Norway

Tlf. +47 333 67 000  
[post@temptech.no](mailto:post@temptech.no)  
[www.temptech.no/en](http://www.temptech.no/en)